

MATERIAL SAFETY DATA SHEET

Issue date: OCTOBER 2014

1. IDENTIFICATION OF THE PRODUCT AND THE COMPANY

Product Name: WOODLOK Glazeaway

Supplier: GLUE GURU Address: 18 Kaimahi Road

Wairau Valley Auckland 0627 New Zealand

Telephone (09) 444 4878 Customer Services

Fax (09) 442 5975

Emergency Telephone + 64 274 736008 (24 hours)

National Poison Centre (24 hours): 0800 POISON [764 766]

2. HAZARDS IDENTIFICATION

DANGER

- Flammable liquid and vapour
- Harmful if swallowed
- Causes skin irritation
- Causes serious eye irritation
- May cause damage to organs through prolonged or repeated exposure
- Toxic to aquatic life

HSNO Approval Number: Group Standard HSR002528

Prevention

- Keep out of reach of children
- Read label before use

October 2014 Page 1 of 6

- Keep away from heat / sparks / open flames / hot surfaces. No smoking
- Keep container tightly closed
- Ground / bond container and receiving equipment
- Use only non-sparking tools
- Wear protective gloves and eye / face protection
- Wash hands thoroughly after handling
- Do not eat, drink or smoke when using this product
- Do not breathe fume / gas / vapours / spray
- Avoid release to the environment
- Take precautionary measure against static discharge

3. COMPOSITION/INFORMATION ON INGREDIENTS

Name	% by Wt.	CAS Number
Mineral Turpentine	10.0 – 80.0	95-63-6: 9882 – 8:108-67-8
Xylene	10.0 – 24.0	1330-20-7

4. FIST AID MEASURES

T. FIGT AID MEAGERED		
Eyes	Immediately flush eyes with plenty of water for 15 minutes. If irritation persists, seek medical attention.	
Skin	Wash exposed area with mild soap and water. Get medical attention if irritation develops or persists.	
Ingestion	Do not induce vomiting. Get immediate medical attention.	
	Remove victim from area of exposure. If unconscious, give oxygen. Give artificial respiration if not breathing. Get immediate medical attention.	
Notes to Physician	Exposure to high concentrations of this material (e.g. in enclosed spaces or with deliberate abuse) may be associated with cardiac arrhythmias. Epinephrine and other sympathomimetic drugs may initiate cardiac in persons exposed to this material. If sympathomimetic drugs are administered, observe for the development of cardiac arrhythmias.	

For further information Telephone (24 hours) The National Poison Centre: 0800 Poison [764 766]

5. FIRE FIGHTING MEASURES

Flash Point 27 - 32°C

Auto Ignition Temperature

Flammable Limits in Air

% by Volume Not available

Extinguishing Media Dry chemical, foam, or carbon dioxide.

Fire Fighting Instructions Proper respiratory equipment to protect against the hazardous effects of

combustion products is recommended. Water in a straight hose stream may cause fire to spread and should be used as a cooling medium only.

Unusual Fire and

Explosion Hazards Vapour accumulations may flash and / or explode if ignited. Keep ignition

sources, open flames etc. away from those fumes.

6. ACCIDENTAL RELEASE MEASURES

Small Spills Extinguish possible sources of ignition. Evaluate all unprotected

personnel and ventilate area. Only personnel equipped with proper respiratory, skin / eye protection should enter spill area. Dike area to contain spill and clean up by absorbing on an inert absorbent or other

means. Don't flush into sewers or natural waterways.

Large Spills Contain material as described above and call the local fire or police

department for immediate emergency assistance.

7. HANDLING & STORAGE

Handling Open container slowly to relieve any pressure. Bond and ground all

equipment when transferring from one vessel or container to another. This material can accumulate static charge by flow or agitation. Vapours can be ignited by static discharge. Use explosion proof equipment as

directed by local fire codes.

Storage Store unopened containers under cool, dry and ventilated conditions.

Keep away from heat, sparks and flame.

October 2014 Page 3 of 6

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: General (mechanical) room ventilation is considered satisfactory in

enclosed spaces. Where explosive mixtures may be present, electrical

systems safe for such locations must be used.

Eye / Face Protection Wear safety glasses with side shields or goggles when handling this

material.

Body Protection Wear PVC-coated gloves. Avoid skin contact. If skin contact or

contamination of clothing is likely, protective clothing should be worn.

Respiratory Protection Use NIOSH / MSHA approved respirators.

Exposure Limits Not available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Pale Yellow Liquid	
Odour	Citrus	
Specific Gravity	0.82	
Vapour Pressure	N/A	
Vapour Density	3.1	
Solubility in Water	Slight solubility	
Boiling Point	Not available	
Evaporation Rate	Not available	
Flash Point	>13°C	

8. STABILITY AND REACTIVITY

Stability of Substance Stable

Conditions to Avoid Exposure to excessive heat, open flames and sparks. Avoid conditions

that favour the formation of excessive mists and / or fumes.

Incompatible Materials: Strong oxidising agents.

Hazardous

Decomposition Products Oxides of carbon when burned.

Hazardous Reactions Will not occur.

9. TOXICOLOGICAL INFORMATION

Eyes Species: Rabbit

Result: The test substance was applied at 0.1 ml to the confunctival sac of one eye of each of 6 rabbits (sex not reported). Mild iritis was observed in most eyes at 1 hour; slight corneal opactity was observed in 2 eyes at 24 hours and 1 eye at 48 hours. Moderate conjunctival irritation was present in most eyes at 1 and 24 hours, but was slight at 48 hours. All

eyes were normal by 7 days.

Skin Species: Rabbit. Result: Moderate

Ingestion Species: Rat; ENDPOINT: LD50; VALUE: 3280 mg / kg

Inhalation Species: Rat; ENDPOINT: LD50; VALUE: 18 g/m3/4h = 18 mg/L/4H

12. ECOLOGICAL INFORMATION

9.1B (fish) Species: Pimephales Promelas (flathead minnow); Type of exposure:

Flow through; duration: 96 hr.; ENDPOINT: LC50; VALUE: 7.72 mg/l.

9.1B (crustacean) Species: Cancer Magister, Dungeness or edible crab. Type of exposure:

Static; duration: 48hr; ENDPOINT LC50 (Mortality; VALUE 17000 ug/L (= 17 mg/l).

14. TRANSPORT INFORMATION

UN Number 1993

Proper Shipping Name Flammable Liquid (contains Ethyl Alcohol)

Dangerous Goods Class 3

Subsidiary Risk Packing 9

Group II

Hazchem Code 3 [Y] E

15. REGULATORY INFORMATION

HSNO Approval No. HSR002528

Group Standard Cleaning Products (Flammable)

HSNO Classes 3.1C, 6.1E, 6.3B, 6.4A, 6.9B, 9.1B

13. DISPOSAL CONSIDERATIONS

Dispose through Licensed Disposal Company.

10. OTHER INFORMATION

New Zealand National Poison Information Centre (24 hours): 0800 POISON [764 766] New Zealand Emergency Services: 111

WHILST THE INFORMATION CONTAINED IN THIS DOCUMENT IS BASED ON DATA WHICH, TO THE BEST OF OUR KNOWLEDGE, WAS ACCURATE AND RELIABLE AT THE TIME OF PREPARATION, NO RESPONSIBILITY CAN BE ACCEPTED BY US FOR ERRORS AND OMISSIONS. THE PROVISION OF THIS INFORMATION SHOULD NOT BE CONSTRUED AS A RECOMMENDATION TO USE ANY OF OUR PRODUCTS IN VIOLATION OF ANY PATENT RIGHTS OR IN BREACH OF ANY STATUTE OR REGULATION. USERS ARE ADVISED TO MAKE THEIR OWN DETERMINATION AS TO THE SUITABILITY OF THIS INFORMATION IN RELATION TO THEIR PARTICULAR PURPOSE AND SPECIFIC CIRCUMSTANCES. SINCE THE INFORMATION CONTAINED IN THIS DOCUMENT MAY BE APPLIED UNDER CONDITIONS BEYOND OUR CONTROL, NO RESPONSIBILITY CAN BE ACCEPTED BY US FOR ANY LOSS OR DAMAGE CAUSED BY ANY PERSON ACTING OR REFRAINING FROM ACTION AS A RESULT OF THIS INFORMATION.

End of Safety Data Sheet.