

SECTION 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: LOCTITE PRISM® 480 INSTANT ADHESIVE

Use: Cyanoacrylate adhesive.

Supplier: HENKEL NEW ZEALAND LIMITED

2 ALLENS ROAD, EAST TAMAKI, AUCKLAND. PHONE (09) 272 6710 FAX (09) 272 6711.

Emergency Contact Details: 0800 CHEMCALL (0800 243 622)

For any Hazardous Substance Emergency

(24 hours, 365 days)

SECTION 2. HAZARDS IDENTIFICATION

STATEMENT OF HAZARDOUS NATURE:

Classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001.

HSNO CLASSIFICATION:

3.1D Combustible liquid.
6.3A Causes skin irritation.
6.4A Causes serious eye irritation.

6.8B Suspected of damaging fertility or the unborn child.

PRECAUTIONARY STATEMENTS:

PREVENTION:

P103 Read label before use.

P104 Read Safety Data Sheet before use.
P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P210 Keep away from open flames and hot surfaces. No smoking.
P264 Wash hands, arms and face thoroughly after handling.
P280 Wear suitable protective equipment. Refer to Section 8.

RESPONSE:

P370+P378 In case of fire: Use appropriate media for extinction. See Section 5.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P362 Take off contaminated clothing and wash before reuse.
P332+P313 If skin irritation occurs: Get medical advice/attention.

P305+P351+P338 **IF IN EYES:** Rinse cautiously with water for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.
P308+P313 If exposed or concerned: Get medical advice/attention.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENTS:

CHEMICAL ENTITY CAS NO. PROPORTION

 Ethyl cyanoacrylate
 [7085-85-0]
 60-90% w/w

 Phthalic anhydride
 [85-44-9]
 0.1-1.0% w/w

DATE OF SDS: 13.07.15 **REVISION OF:** 31.07.08 **IDH NO:** 852269

Page 1 of 5



Remainder, not hazardous

to 100% w/w

SECTION 4. FIRST AID MEASURES

Ingestion: For advice, contact a Poisons Information Centre or a doctor. Ensure that breathing

passages are not obstructed. The product will polymerise immediately in the mouth, making it almost impossible to swallow. Saliva will slowly separate the solidified product

from the mouth (several hours).

Skin: Do not pull bonded skin apart. It may be gently peeled apart using a blunt object such

as a spoon, preferably after soaking affected area in warm soapy water.

Cyanoacrylates give off heat on solidification. In rare cases, a large drop will generate enough heat to cause a burn. Burns should be treated normally after the adhesive has been removed from the skin. If fingers stick together, apply a solvent such as acetone to contact areas, then wash off with water. Do not use solvents near eyes or open

wounds.

If lips are accidentally stuck together, apply warm water to the lips and encourage maximum wetting and pressure from saliva inside the mouth. Peel or roll lips apart. Do

not try to pull the lips apart with direct opposing action.

Eyes: If the eye is bonded closed, release eyelashes with warm water by covering with wet

pad. Cyanoacrylate will bond to eye protein and will cause periods of weeping which will help to debond the adhesive. Keep eye covered until debonding is complete, usually within 1-3 days. Do not force eye open. Medical advice should be sought in case solid particles of cyanoacrylate trapped behind the eyelid cause any abrasive

damage.

Inhalation: Remove affected person to fresh air. For all but the most minor symptoms, arrange for

patient to be seen by a doctor.

Advice to doctor: Treat symptomatically.

First Aid facilities: Eye wash.

SECTION 5. FIRE FIGHTING MEASURES

Suitable extinguishing media: Water fog, dry chemical, foam or carbon dioxide.

Hazardous decomposition products: Under fire conditions, it may release toxic fumes.

Precautions for fire fighters and special protective equipment: If there is a risk of exposure to

products of combustion, fire fighters should wear self-contained breathing

apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Spills: Ventilate area. Do not use cloths for mopping up. Polymerise with water and

scrape up. For large spills, wear protective gloves, chemical goggles and boots. Contain and collect spillage with inert absorbent materials (e.g. sand, earth, vermiculite). Transfer to sealable containers suitable for storing spilled material. Wash areas in contact with spilled material with adequate warm soapy water to render the area safe for human contact. Note: Residues are

not water soluble. Do not allow product to enter drains.

DATE OF SDS: 13.07.15 **REVISION OF:** 31.07.08 **IDH NO:** 852269



Disposal: Dispose of solid residues in waste disposal area in accordance with local and

national regulations.

SECTION 7. HANDLING AND STORAGE

Safe Handling: Observe recommendations made under SECTION 8: EXPOSURE

CONTROLS/PERSONAL PROTECTION. Use in a well ventilated area. Handle carefully. This product will bond instantly in the presence of moisture. Avoid contact with fabric or paper as contact with these materials can

generate smoke and irritating vapours.

Storage: Store indoors in a cool, dry and well-ventilated area. Keep containers sealed

when not in use. Store in original containers. Protect from physical damage.

For optimum shelf life, store in original containers under refrigerated

conditions at 2°C -10°C.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

National exposure standards: TWA: 0.2 ppm as for ethyl cyanoacrylate

Source: ACGIH

Engineering controls: None required under normal conditions of use, but if exposure

limits are exceeded, use a local mechanical exhaust system.

Personal protective equipment: Avoid contact with skin and eyes. Wear overalls, polyethylene or

nitrile rubber gloves and safety glasses with side shields. Do not use PVC, nylon or cotton gloves. Use with adequate ventilation. If inhalation risk exists, wear a respirator

complying with the requirements of AS/NZS1715 and 1716.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical data:

Appearance: Black liquid.

Solubility: Polymerises in the presence of water.

Specific gravity: 1.1 @ 20°C
Odour: Sharp, irritating.

Flash Point (TCC): 80°C to 93°C

SECTION 10. STABILITY AND REACTIVITY

Chemical stability: Stable under normal conditions.
Conditions to avoid: Avoid open flames and heat.

Incompatible materials: Keep away from strong oxidising agents.

Hazardous decomposition products: Combustible material. In a fire, it may release toxic fumes. **Hazardous reactions:** Exothermic polymerisation will occur in the presence of water,

amines, alkalies and alcohols.

SECTION 11. TOXICOLOGICAL INFORMATION

HEALTH EFFECTS:

Acute:

DATE OF SDS: 13.07.15 **REVISION OF:** 31.07.08 **IDH NO:** 852269

Page 3 of 5



Ingestion: Cyanoacrylates are considered to have relatively low toxicity. This product will

rapidly polymerise in the mouth.

Skin: Irritating to skin. Bonds skin in seconds.

Eyes: Contact with the eyes will cause irritation. This product will bond eyelids. In a

dry atmosphere, vapours may irritate the eyes.

Inhalation: Inhalation of vapours can cause respiratory irritation.

Chronic: Prolonged exposure to high concentrations of vapours may lead to chronic

effects in sensitive individuals.

Toxicity information: Oral LD₅₀ (rat): > 5000 mg/kg as for cyanoacrylates

SECTION 12. ECOLOGICAL INFORMATION

Potential Environmental Interactions: Do not allow product to contaminate waterways or soil.

Toxicity: No data available for this product.

SECTION 13. DISPOSAL CONSIDERATIONS

Polymerise by adding slowly to water (10:1). Dispose of solid residues at approved land waste site. Containers should be drained and residues be allowed to cure prior to disposal at approved landfill site.

SECTION 14. TRANSPORT INFORMATION

Land Transport:

Not classified as Dangerous Goods according to NZS 5433: 2012 and the Land Transport Rule: Dangerous Goods 2005.

Marine transport IMDG:

Not dangerous goods

Air transport IATA:

UN no.: 3334

Proper shipping name: Aviation regulated liquid, n.o.s. (Cyanoacrylate ester)

Class or division:

Packing group:

Packing instructions (passenger)

Packing instructions (cargo)

964

Additional Information: Primary packs containing less than 500ml are unregulated

by this mode of transport and may be shipped

unrestricted.

SECTION 15. REGULATORY INFORMATION

HSR002657 - Surface Coatings and Colourants (Combustible) Group

Standard 2006

DATE OF SDS: 13.07.15 **REVISION OF:** 31.07.08 **IDH NO:** 852269



Site and storage: Refer to the site and storage requirements for this Group Standard.

SECTION 16. OTHER INFORMATION

Abbreviations/acronyms:

HSNO - Hazardous Substances and New Organisms Act 1996

AS - Australian Standard

NZS - New Zealand Standard

TWA - Time-weighted average

STEL - Short-Term Exposure Limit

NOS - Not Otherwise Specified

LD50 - the median lethal dose

LC50 - the median lethal concentration

EC50 – median effect concentration.

IMDG - International Maritime Dangerous Goods

IATA – International Air Transport Association

Reference(s):

- Preparation of Safety Data Sheets: Approved Code of Practice Under the HSNO Act 1996, HSNO CoP 8-1 09-06, New Zealand Chemical Industry Council, September 2006.
- Workplace Exposure Standards and Biological Exposure Indices, Ministry of Business, Innovation & Employment, February 2013, 7th ed.

DISCLAIMER:

The percentage weight (% w/w) of ingredients is not to be taken as a specification guaranteed by Henkel New Zealand Limited, but only as an approximate guide to the content of hazardous ingredients in the material. The information contained herein does not constitute a guarantee by Henkel New Zealand Limited concerning the properties of the material.

The information contained in this Safety Data Sheet is offered in good faith and has been developed from what is believed to be accurate and reliable sources. The information is offered without warranty, representation, inducement or licence and Henkel New Zealand Limited assumes no legal responsibility for reliance upon same. Henkel New Zealand Limited disclaims any liability for loss, injury or damage incurred in connection with the use of the material or its associated Safety Data Sheet.

This information is not to be construed as a representation that the material is suitable for any particular purpose or use except those conditions and warranties implied by either Commonwealth or State statutes. Customers are encouraged to make their own enquiries as to the material's characteristics and, where appropriate, to conduct their own tests in the specific context of the material's intended use.

DATE OF SDS: 13.07.15 **REVISION OF:** 31.07.08 **IDH NO:** 852269