



Printing date 23.03.2015 Version number 2 Revision: 23.03.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade name: QUILOSA BH-210

Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture

Construction chemicals

Adhesives

Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

New Zealand Supplier: Glue Guru Limited

18 Kaimahi Road Wairau Valley, Auckland

Telephone: 09 444 4878 Email: info@glueguru.co.nz

NZ Emergency No: 0800 764 766 (National Poison Centre)

SECTION 2: Hazards identification

- · Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

- Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.
- Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:

Keep out of the reach of children

- Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- Chemical characterisation: Mixtures
- · Description: Adhesive based on hybrid-polymer
- Dangerous components:

(Contd. on page 2)





Printing date 23.03.2015 Version number 2 Revision: 23.03.2015

Trade name: QUILOSA BH-210

	(Contd. c	of page 1)
CAS: 2768-02-7	trimethoxyvinylsilane	<2.5%
EINECS: 220-449-8	▼ Xn R20	
Reg.nr.: 01-2119513215-52-XXXX	R10	
	Flam. Liq. 3, H226; Acute Tox. 4, H332	
CAS: 13822-56-5	(3-Aminopropyl)trimethoxysilane	<1%
EINECS: 237-511-5	¥ Xi R38-41	
Reg.nr.: 01-2119510159-45	🍑 Eye Dam. 1, H318; 🕚 Skin Irrit. 2, H315	

Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

- Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Wash with plenty of water or water and soap. In cases of sickness seek medical advice (show label if possible).

- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Rinse out mouth and then drink plenty of water.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

Indication of any immediate medical attention and special treatment needed. No further relevant information available.

SECTION 5: Firefighting measures

- Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fire with alcohol resistant foam.
- Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.
- · Advice for firefighters
- · Protective equipment: Do not inhale explosion gases or combustion gases.
- **Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

- Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

GB





Printing date 23.03.2015 Version number 2 Revision: 23.03.2015

Trade name: QUILOSA BH-210

(Contd. of page 2)

SECTION 7: Handling and storage

- · Handling:
- Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.

No special measures required.

- Information about fire and explosion protection: No special measures required.
- Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Protect from frost.

Protect from humidity and water.

· Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Do not eat, drink, smoke or sniff while working.
- · Respiratory protection: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Nitrile rubber, NBR (>0,55 mm)

Recommended thickness of the material: ≥ 0.35 mm

Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least >480 minutes (Permeation according to EN 374 Part 3: Level 6).

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Goggles recommended during refilling
- · Body protection: Protective work clothing

CP





Printing date 23.03.2015 Version number 2 Revision: 23.03.2015

Trade name: QUILOSA BH-210

(Contd. of page 3)

SECTION 9: Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Paste Colour: Yellow

Odour: Weak, characteristic
Odour threshold: Not determined.

pH-value: Not determined.

· Change in condition

Melting point/Melting range: Undetermined. Boiling point/Boiling range: Undetermined.

· Flash point: Not applicable.

· **Self-igniting:** Product is not selfigniting.

• **Danger of explosion:** Product does not present an explosion hazard.

1.7 g/cm³

· Explosion limits:

Density at 20 °C:

Lower: Not determined.
Upper: Not determined.

'Vapour pressure: Not determined.

Solubility in / Miscibility with

water: Insoluble.

Other information No further relevant information available.

SECTION 10: Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: Avoid contact with other chemicals.
- · Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitisation: No sensitising effects known.
- Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

(Contd. on page 5)





Version number 2 Revision: 23.03.2015 Printing date 23.03.2015

Trade name: QUILOSA BH-210

(Contd. of page 4)

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

SECTION 12: Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability The product after hardening is a solid, insoluble in the water.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:

According to the criteria of the EU-classification and labelling "dangerous for environment" (93/21/EWG) the substance/ the product has to be classified as non-hazardous for the environment. Generally not hazardous for water

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · Waste treatment methods
- · Recommendation Smaller quantities can be disposed of with household waste.
- European waste catalogue

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

15 01 02 plastic packaging

- Uncleaned packaging:
- Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

UN-Number		
ADR, ADN, IMDG, IATA	Void	
UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
Packing group		
ADR, IMDG, IATA	Void	
Environmental hazards:		
Marine pollutant:	No	





Version number 2 Revision: 23.03.2015 Printing date 23.03.2015

Trade name: QUILOSA BH-210

	(Contd. of page 5)		
Special precautions for user	Not applicable.		
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.			
· Transport/Additional information:	Not classified as dangerous under transport regulations.		
· UN "Model Regulation":	-		

SECTION 15: Regulatory information

·Safety, health and environmental regulations/legislation specific for the substance or mixture

No further relevant information available.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

R10 Flammable.

R20 Harmful by inhalation.

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

- Recommended restriction of use Information in the appropriate technical data sheet of product.
- · Department issuing MSDS: Product safety department.
- · Contact: Dział dokumentacji technicznej.
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

Flam. Liq. 3: Flammable liquids, Hazard Category 3

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1